

A Leading Manufacturer & Exporter of

# CASTORS & TROLLEY WHEELS



2020 EDITION



<b>TTB FAB SERIES</b>	<b>1</b>
<b>SPC/FAB SERIES</b>	<b>2</b>
<b>SPC FAB TTB SERIES</b>	<b>3</b>
<b>FORGED SERIES</b>	<b>4</b>
<b>SHD TTB SERIES</b>	<b>6</b>
<b>SPC SHD TTB SERIES</b>	<b>7</b>
<b>RXH SERIES</b>	<b>8</b>
<b>MSI SERIES</b>	<b>10</b>
<b>MEV SERIES</b>	<b>12</b>
<b>SPC SERIES</b>	<b>14</b>
<b>SCAFFOLD</b>	<b>15</b>
<b>TTB SERIES</b>	<b>16</b>
<b>SS SERIES</b>	<b>18</b>
<b>L TTB SERIES</b>	<b>20</b>
<b>RXM SERIES</b>	<b>22</b>
<b>RX SERIES</b>	<b>24</b>
<b>RX MEDI SERIES</b>	<b>26</b>
<b>FLOOR LOCKS</b>	<b>27</b>
<b>DW SERIES</b>	<b>28</b>

# **Rki** Castors

Rki Castors is a leading manufacturer of Castors & trolley Wheels in India. For the last three decades of Experience, the Company offers one of the largest ranges of Castors from 50 mm to 300 mm diameter and the load carrying capacity from 50 Kgs to 10000 kgs Set of four wheels Castor. Rki Castors offers a very large range of Pressed Steel Castors and also Stainless Steel Castors of Grade 202 & 304 steel. Besides our standard products, we offer customized solutions to meet any of your specific application or usage. Our manufacturing facility in Gurgaon is spread over 15000 Sq ft. having modern machines, equipment and Tool Room. Our Team of Qualified engineers and Trained Technicians are constantly engaged in ensuring quality that matches the best & economical.

Manufactured under strict quality control and supervision, Rki Castors offers world class products with innovative indigenous technology which ensures longer life and negligible maintenance or replacement for castors. Rki Castors are patronized by users in almost every application from material handling, textile, heavy engineering industries, automobile, aviation sectors, hotels, hospitals, electronic equipment to furniture and trolley manufacturers. Depending on the application, the wheels are made of high grades of PU, Nylon, Cast Iron, Rubber and other materials. Rki Castors are noise-free, roll smoothly, turn effortlessly and are easy to maintain.

Nearly ninety percent components of castors and wheels are produced at our own plant in Gurgaon. We are OEMs and Exporter to many prestigious industries throughout all the countries. Without mentioning any reputed names, both in domestic or multi-national space, we can honestly claim that our products are used nation and worldwide. Don't hesitate to ask for our client list, with our offer we would provide you many references which will convince you of our credentials among the best.

Leveraging our infrastructure and a qualified and capable team of professionals, Rki Castors has moved forward and integrated manufacture of entire range of products for material handling industry. Our wide range of products includes Castors, Trolleys Wheels, and Heavy Duty wheels.

This comprehensive website helps you explore our range of products and make precise choice for your specific needs. In case you need any help, our expert team of technical or marketing official will be happy to provide you not just with the information but also offer a product demonstration which will help you to save a lot of time, trouble and money over a period of time.

We are eager to join hands with you in undertaking development of products specific to your needs and provide Tailor-made solutions. Rki Castors has a team of business development managers in all major towns of the country, however, if you ever find any difficulty in finding our products.

# TTB FAB SERIES

Our TTB FAB Series Castor is Forged Plate Single Piece of alloy steel, top Plate with an integrally Forged Kingpin and Forged Fork Base. totally Sealed Swivel Head with grease Nipple. We are using Good Quality thrust Bearing and taper Roller Bearing in Swivel head.

We use good Quality slotted Nut and Cotter Pin arrangement to adjust Swivel head Play during usage.



SPC FAB TTB SERIES							
WHEEL DIA	WIDTH (MM)	SWIVEL & FIXED			LOAD CAPACITY	SHEET THICKNESS	BOLT HOLE
		TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE			
100	50	175 MM	140 X 110 MM	110 X 80 MM	1000 KGS	6 + 12 MM	10 MM
150	50	220 MM	140 X 110 MM	110 X 80 MM	1000 KGS	6 + 12 MM	10 MM
200	50	267 MM	140 X 110 MM	110 X 80 MM	1000 KGS	6 + 12 MM	10 MM
250	50	315 MM	140 X 110 MM	110 X 80 MM	1000 KGS	6 + 12 MM	10 MM
300	50	360 MM	140 X 110 MM	110 X 80 MM	1000 KGS	6 + 12 MM	10 MM

**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**



# SPC FAB SERIES

Heavy Fabricated Steel Spring –Loaded Castors to absorb the shocks/ vibrations during loadings with controlled impact. Top plate & bracket of our Castors are made out of thick sheets to provide strength & ensure that the load is evenly distributed over wheel & spring assembly. Heavy spring to consider extra load.

Plate having double ball bearing. Swivel bracket bolted with proper King-Pin to resist the shock loads /Vibrations. Castors fitted with double ball bearings & Axle bolted.



SPC FAB SERIES - SWIVEL						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	165 MM	140 X 115 MM	105 X 80 MM	300 - 400 KGS	6 MM
150	50	191 MM	140 X 115 MM	105 X 80 MM	300 - 400 KGS	6 MM
200	50	233 MM	140 X 115 MM	105 X 80 MM	300 - 400 KGS	6 MM

SPC FAB SERIES - FIXED						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	165 MM	140 X 115 MM	105 X 80 MM	300 - 400 KGS	6 MM
150	50	191 MM	140 X 115 MM	105 X 80 MM	300 - 400 KGS	6 MM
200	50	233 MM	140 X 115 MM	105 X 80 MM	300 - 400 KGS	6 MM


**Available in:** Powder Coating / Zinc Plated – Yellow passivated finish.



## SPC FAB TTB SERIES

Forged Steel Spring Loaded Castors made out of thick sheet with taper roller bearing & thrust bearing fitted with grease nipple for lubrications to provide strength & protect from damaging shocks / vibrations caused due to heavier loads & evenly distributed over the wheels & spring assembly, heavy spring to take care for extra load.

SPC FAB TTB SERIES							
WHEEL DIA	WIDTH (MM)	SWIVEL & FIXED			LOAD CAPACITY	SHEET THICKNESS	BOLT HOLE
		TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE			
150	50	225 MM	140 X 110 MM	110 X 80 MM	600 KGS	6 + 8 MM	10 MM
200	50	265 MM	140 X 110 MM	110 X 80 MM	600 KGS	6 + 8 MM	10 MM
250	50	310 MM	140 X 110 MM	110 X 80 MM	600 KGS	6 + 8 MM	10 MM



**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**



# FORGED SERIES





**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**


# FORGED SERIES

As Forged Steel Castors, ball over the untempered racing of the Castor head are to be in proper functions, for this, we manufacture the series to avoid racing wear-off. Our Castors have bearings which can be replaced at the user end resulting major saving of replacement.

FORGED SERIES - SWIVEL						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	157 MM	150 X 110 MM	115 X 70 MM	250 - 350 KGS	6 + 8 MM
150	50	203 MM	150 X 110 MM	115 X 70 MM	250 - 350 KGS	6 + 8 MM
200	50	248 MM	150 X 110 MM	115 X 70 MM	250 - 350 KGS	6 + 8 MM



FORGED SERIES - FIXED						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	157 MM	150 X 110 MM	115 X 70 MM	250 - 350 KGS	4 MM
150	50	203 MM	150 X 110 MM	115 X 70 MM	250 - 350 KGS	4 MM
200	50	248 MM	150 X 110 MM	115 X 70 MM	250 - 350 KGS	4 MM



**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**



# SHD TTB SERIES

Our SHD TTB Series Castor is Forged Plate Single Piece Alloy Steel top Plate with an integrally Forged Kingpin and Forged Fork Base.

Totally Sealed Swivel Head with grease Nipple. We are using Good Quality thrust Bearing and taper Roller Bearing in Swivel head. We use good Quality slotted Nut and Cotter Pin arrangement to adjust Swivel head Play During usage.

**SHD TTB Series Castor mainly for Extra Heavy Duty Load Capacity.**



SHD TTB SERIES							
WHEEL DIA	WIDTH (MM)	SWIVEL & FIXED			LOAD CAPACITY	SHEET THICKNESS	BOLT HOLE
		TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE			
150	75	226 MM	175 X 140 MM	140 X 105 MM	2000 KGS	8 + 12 MM	12 MM
200	75	276 MM	175 X 140 MM	140 X 105 MM	2000 KGS	8 + 12 MM	12 MM
250	75	326 MM	175 X 140 MM	140 X 105 MM	2000 KGS	8 + 12 MM	12 MM
300	75	376 MM	175 X 140 MM	140 X 105 MM	2000 KGS	8 + 12 MM	12 MM


**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**



## SPC SHD TTB SERIES

Our SPC SHD TTB Series Castor is Forged Plate Single Piece Alloy Steel top Plate with an integrally Forged Kingpin and Forged Fork Base. totally Sealed Swivel Head with grease Nipple. We are using Good Quality thrust Bearing and taper Roller Bearing in Swivel head.

We use good Quality slotted Nut and Cotter Pin arrangement to adjust Swivel head Play During usage.



SPC SHD TTB SERIES							
WHEEL DIA	WIDTH (MM)	SWIVEL & FIXED			LOAD CAPACITY	SHEET THICKNESS	BOLT HOLE
		TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE			
150	75	226 MM	175 X 140 MM	140 X 105 MM	1250 KGS	8 + 12 MM	12 MM
200	75	276 MM	175 X 140 MM	140 X 105 MM	1250 KGS	8 + 12 MM	12 MM
250	75	326 MM	175 X 140 MM	140 X 105 MM	1250 KGS	8 + 12 MM	12 MM
300	75	376 MM	175 X 140 MM	140 X 105 MM	1250 KGS	8 + 12 MM	12 MM

**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**



# RXH SERIES



**Available in Various Sizes / type :- Fix / Swivel & Swivel with Brake.**

# RXH SERIES



Heavy Duty Pressed Steel Castors having double ball bearing in Swivel head with thick threaded King Pin to avoid dust. Fitting available in Plate , Stem ( Round/ Square) in Chrome Plated/Powder Coated /Zinc Plating.

Available in Various sizes / Type : Fix / Swivel & Swivel with Brake.


Swivel with Brake manufactured in Peddle Lock ( Back Side ) & Front Lock.

Castors having Iron Bush or double sealed ball bearings .


RXH SERIES - SWIVEL						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	153 MM	133 X 118 MM	105 X 75 MM	200 - 250 KGS	4 + 5 MM
150	50	198 MM	133 X 118 MM	105 X 75 MM	200 - 250 KGS	4 + 5 MM
200	50	246 MM	133 X 118 MM	105 X 75 MM	200 - 250 KGS	4 + 5 MM



RXH SERIES - FIXED						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	153 MM	150 X 90 MM	115 X 55 MM	200 - 250 KGS	4 MM
150	50	198 MM	150 X 90 MM	115 X 55 MM	200 - 250 KGS	4 MM
200	50	246 MM	150 X 90 MM	115 X 55 MM	200 - 250 KGS	4 MM



# MSI SERIES





**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**

# MSI SERIES


Quality is Main Essence of our Product & Motto.

To move Ahead your Business, We manufacture Series of Castor Wheels in Medium Duty Fabricated Steel Castors with Double Ball Bearings. Fitting available in Plate & Pipe with Zinc & Powder Coating / as per requirement.

MSI SERIES - SWIVEL						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	142 MM	116 X 100 MM	85 X 70 MM	200 - 300 KGS	5 MM
150	50	192 MM	116 X 100 MM	85 X 70 MM	200 - 300 KGS	5 MM
200	50	242 MM	116 X 100 MM	85 X 70 MM	200 - 300 KGS	5 MM



MSI SERIES - FIXED						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	142 MM	116 X 100 MM	85 X 70 MM	200 - 300 KGS	5 MM
150	50	192 MM	116 X 100 MM	85 X 70 MM	200 - 300 KGS	5 MM
200	50	242 MM	116 X 100 MM	85 X 70 MM	200 - 300 KGS	5 MM



# MEV SERIES



**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**

# MEV SERIES



Medium Duty Pressed Steel Castors having double ball bearing in Swivel head with thick threaded King Pin to avoid dust. Fitting available in Plate, Stem ( Round/ Square) in Chrome Plated/Powder Coated /Zinc Plating.

Available in Various sizes / Type : Fix / Swivel & Swivel with Brake.


Swivel with Brake manufactured as Front Lock ( ON/OFF).

Castors having Iron Bush or double sealed ball bearings .

MEV SERIES - SWIVEL						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	145 MM	133 X 103 MM	105 X 75 MM	150- 175 KGS	3 + 4 MM
150	50	193 MM	133 X 103 MM	105 X 75 MM	150- 175 KGS	3 + 4 MM
200	50	247 MM	133 X 103 MM	105 X 75 MM	150- 175 KGS	3 + 4 MM



MEV SERIES - FIXED						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	145 MM	133 X 103 MM	105 X 75 MM	150- 175 KGS	3 MM
150	50	193 MM	133 X 103 MM	105 X 75 MM	150- 175 KGS	3 MM
200	50	247 MM	133 X 103 MM	105 X 75 MM	150- 175 KGS	3 MM



# SPC SERIES

Heavy Pressed Steel Spring –Loaded Castors to absorb the shocks/ vibrations during loadings with controlled impact. Top plate & bracket of our Castors are made out of thick sheets to provide strength & ensure that the load is evenly distributed over wheel & spring assembly.

Plate having double ball bearing. Swivel bracket bolted with proper King-Pin to resist the shock loads /Vibrations. Castors fitted with double ball bearings & Axle bolted.



SPC SERIES - SWIVEL						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	200 MM	160 X 120 MM	130 X 80 MM	250 - 350 KGS	5 MM
150	50	213 MM	160 X 120 MM	130 X 80 MM	250 - 350 KGS	5 MM
200	50	257 MM	160 X 120 MM	130 X 80 MM	250 - 350 KGS	5 MM

SPC SERIES - FIXED						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	200 MM	160 X 120 MM	130 X 80 MM	250 - 350 KGS	5 MM
150	50	213 MM	160 X 120 MM	130 X 80 MM	250 - 350 KGS	5 MM
200	50	257 MM	160 X 120 MM	130 X 80 MM	250 - 350 KGS	5 MM

**Available in:** Powder Coating / Zinc Plated – Yellow passivated finish.



## SCAFFOLD SERIES

Our Scaffold Series is having load capacities to ensure safe and stable work environments.

Perfect for use in the Aerospace Production industry.

An excellent choice work loads of heavy Capacity Tooling carts, composite molds or Scaffolding.

SCAFFOLD SERIES - NYLON CORE				
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	LOAD CAPACITY	SHEET THICKNESS
150 MM	50	217 MM	600 KGS	4 MM
200 MM	50	242 MM	600 KGS	4 MM

SCAFFOLD SERIES - MS CORE				
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	LOAD CAPACITY	SHEET THICKNESS
150 MM	50	212 MM	300 KGS	5 MM
200 MM	50	237 MM	300 KGS	5 MM



# TTB SERIES



**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**




# TTB SERIES

While manufactured your Product , all require a clean & Proper Platform of floor which indeed is a challenge to minimize the impact Cost of Manufacturing / Maintenance. To achieve the target & Quality of your Product we at **Rhi** has introduced TTB Series of Castors which are Long Lasting & Maintenance free. Our Product are specially Designed to Carry Heavy Loads with no impact on Floor/Useance.


We used 6 mm Bracket & 8 mm Plate thickness & also Center Bolt is Forged in EN-8 Steel with Strong/Proper welding to reduce Re-work after using. Swivel head made by us with Taper Roller thrust Ball Bearing for easy Lubrication/use. We Manufacture wide Range of Wheels to roll smoothly. Swivel & Swivel with Brake available in Powder Coating & Zinc Plating.

TTB SERIES - SWIVEL						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	175 MM	150 X 113 MM	115 X 75 MM	300 - 600 KGS	6 + 8 MM
150	50	207 MM	150 X 113 MM	115 X 75 MM	300 - 600 KGS	6 + 8 MM
200	50	260 MM	150 X 113 MM	115 X 75 MM	300 - 750 KGS	6 + 8 MM
250	50	313 MM	150 X 113 MM	115 X 75 MM	300 - 750 KGS	6 + 8 MM

TTB SERIES - FIXED						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
100	50	175 MM	150 X 90 MM	115 X 60 MM	300 - 600 KGS	5 MM
150	50	207 MM	150 X 90 MM	115 X 60 MM	300 - 600 KGS	5 MM
200	50	260 MM	150 X 90 MM	115 X 60 MM	300 - 750 KGS	5 MM
250	50	313 MM	150 X 90 MM	115 X 60 MM	300 - 750 KGS	5 MM



# SS SERIES



**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**


# SS SERIES

SS SERIES - SWIVEL						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
50 MM	22	75 MM	63 X 50 MM	45 X 30 MM	30 KGS	1.5 MM
75 MM	22	97 MM	63 X 50 MM	45 X 30 MM	35 KGS	1.5 MM
75 MM	32	110 MM	96 X 78 MM	75 X 55 MM	60 KGS	2.5 MM
100 MM	32	137 MM	96 X 78 MM	75 X 55 MM	70 KGS	2.5 MM
125 MM	32	157 MM	96 X 78 MM	75 X 55 MM	75 KGS	2.5 MM
100 MM	38	140 MM	94 X 94 MM	70 X 70 MM	90 KGS	2.5 MM
125 MM	38	163 MM	120 X 96 MM	85 X 60 MM	90 KGS	2.5 MM
150 MM	38	192 MM	120 X 96 MM	85 X 60 MM	90 KGS	2.5 MM
200 MM	38	245 MM	120 X 96 MM	85 X 60 MM	90 KGS	2.5 MM

SS SERIES - FIXED						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
75 MM	32	110 MM	95 X 67 MM	75 X 45 MM	60 KGS	2.5 MM
100 MM	32	137 MM	95 X 67 MM	75 X 45 MM	70 KGS	2.5 MM
125 MM	32	157 MM	95 X 67 MM	75 X 45 MM	75 KGS	2.5 MM
100 MM	38	140 MM	115 X 78 MM	85 X 45 MM	90 KGS	2.5 MM
125 MM	38	163 MM	115 X 78 MM	85 X 45 MM	90 KGS	2.5 MM
150 MM	38	192 MM	115 X 78 MM	85 X 45 MM	90 KGS	2.5 MM
200 MM	38	245 MM	115 X 78 MM	85 X 45 MM	90 KGS	2.5 MM

**Rhi** introduced SS -SERIES, the Stainless steel version of SS Series are manufactured of pressed steel Castors with Non Corrosive Components to maintain Durability & Having Quality Grade material of 316/304 & 202 steel. Available In wide range of wheels as per the table in Side.

Suitable for application in Hotels/Hospitals/Canteens/Dairy Equipments/Chemical & Pharmaceuticals Industries.



# LTTB SERIES



**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**

## L TTB SERIES


We at **Rhi** manufacturer the L-TTB Series in Stainless steel with various Grade 316/304 which are the Highly Suitable for Applications in Pharmaceuticals/Hospital/Hotels & Food Processing Industries etc.

These wheels are very reliable for movement of medium Capacity Load & useful for various applications in medium Load Contents thrust & taper Roller Bearing which can be lubricated through grease nipple for smooth, reliable & Noise less movement & are also required rare maintenance of our wheels.

**Rhi** also manufactured such type of wheel with MS for Stability of the Products applications.

L TTB SERIES - SWIVEL						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
75	38	123 MM	120 X 95 MM	90 X 65 MM	100 - 125 KGS	2.8 MM
100	50	153 MM	120 X 95 MM	90 X 65 MM	100 - 200 KGS	2.8 MM
125	50	173 MM	120 X 95 MM	90 X 65 MM	100 - 125 KGS	2.8 MM
150	50	204 MM	120 X 95 MM	90 X 65 MM	100 - 200 KGS	2.8 MM
200	50	258 MM	120 X 95 MM	90 X 65 MM	100 - 200 KGS	2.8 MM

L TTB SERIES - FIXED						
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
75	38	123 MM	115 X 80 MM	85 X 45 MM	100 - 125 KGS	2.5 MM
100	50	153 MM	115 X 80 MM	85 X 45 MM	100 - 200 KGS	2.5 MM
125	50	173 MM	115 X 80 MM	85 X 45 MM	100 - 125 KGS	2.5 MM
150	50	204 MM	115 X 80 MM	85 X 45 MM	100 - 200 KGS	2.5 MM
200	50	258MM	115 X 80 MM	85 X 45 MM	100 - 200 KGS	2.5 MM



# RXM SERIES



**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**

### RXM SERIES - SWIVEL

WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
62 MM	27	90 MM	75 X 57 MM	54 X 40 MM	35 KGS	2 MM
75 MM	27	104 MM	75 X 57 MM	54 X 40 MM	35 KGS	2 MM
75 MM	32	110 MM	96 X 78 MM	75 X 55 MM	60 KGS	2.5 MM
100 MM	27	130 MM	75 X 57 MM	54 X 40 MM	40 KGS	2 MM
100 MM	32	135 MM	96 X 78 MM	75 X 55 MM	60 KGS	2.5 MM
125 MM	32	157 MM	96 X 78 MM	75 X 55 MM	60 KGS	2.5 MM
100 MM	38	136 MM	95 X 95 MM	70 X 70 MM	80 KGS	2.8 MM
125 MM	38	160 MM	120 X 95 MM	90 X 65 MM	80 KGS	2.8 MM
150 MM	38	186 MM	120 X 95 MM	90 X 65 MM	80 KGS	2.8 MM
100 MM	50	136 MM	95 X 95 MM	70 X 70 MM	90 KGS	2.8 MM
150 MM	50	192 MM	120 X 95 MM	90 X 65 MM	90 KGS	2.8 MM
200 MM	50	250 MM	120 X 95 MM	90 X 65 MM	90 KGS	2.8 MM

### RXM SERIES - FIXED

WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	PLATE SIZE	HOLE DISTANCE	LOAD CAPACITY	SHEET THICKNESS
75 MM	32	110 MM	95 X 67 MM	75 X 45 MM	60 KGS	2.5 MM
100 MM	32	135 MM	95 X 67 MM	75 X 45 MM	70 KGS	2.5 MM
125 MM	32	157 MM	95 X 67 MM	75 X 45 MM	75 KGS	2.8 MM
100 MM	38	136 MM	115 X 80 MM	85 X 45 MM	90 KGS	2.8 MM
125 MM	38	160 MM	115 X 80 MM	85 X 45 MM	90 KGS	2.8 MM
150 MM	38	186 MM	115 X 80 MM	85 X 45 MM	90 KGS	2.8 MM
100 MM	50	136 MM	95 X 95 MM	85 X 45 MM	90 KGS	2.8 MM
150 MM	50	192 MM	115 X 80 MM	85 X 45 MM	90 KGS	2.8 MM
200 MM	50	250 MM	115 X 80 MM	85 X 45 MM	90 KGS	2.8 MM


## RXM SERIES

**Rki** introduced Light Duty Press steel Castor with Double Ball Bearing in Swivel Head Secured with thick kingpin & Covered with Dust Preventive Side Caps.


**Finish :** Zink Plated.

**Fitting :** Plate type.

**Wheel :** Wheels available in PVC/Polypropylene & PU



# RX SERIES



**Available in Various Sizes / type :- Fixed / Swivel & Swivel with Brake.**

# RX SERIES




Rhi introduced Light Duty Press steel Castor. Majorly used in textile under Card Cans & OTHER Applications.

**Finish :** Zink Plated.

**Fitting :** Plate type/Solid Plug/thread ect.

**Wheel :** Wheels available in PVC/Polypropylene & PU

RX SERIES				
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	LOAD CAPACITY	SHEET THICKNESS
50 MM	22	75 MM	25 KGS	1.5 MM
60 MM	20 (TX)	87 MM	25 KGS	2.5 MM
75 MM	22	97 MM	30 KGS	1.5 MM
80 MM	20 (TX)	103 MM	25 KGS	2.5 MM
50 MM	32	74 MM	40 KGS	2.5 + 2.8 MM
62 MM	32	94 MM	50 KGS	2.5 + 2.8 MM
75 MM	32	105 MM	60 KGS	2.5 + 2.8 MM
100 MM	28	122 MM	40 KGS	2.0 MM



## RX MEDI SERIES

**R&I** introduced Light Duty Press steel Castor. Mainly Used in Hospitals & Hotels trolley etc.

**Finish :** Zink Plate /Powder Coated/Chrome Plated.

**Fitting :** Solid Round Plug/thread/Plate type.

**Wheel :** Wheels available in PVC/POLYURETHENE & RUBBER.

**Accessories :** Total Lock Available Swivel lock & wheel Movement locked.

RX MEDI SERIES			
WHEEL DIA	WIDTH (MM)	TOTAL HEIGHT	LOAD CAPACITY
75 MM	32	108 MM	50 KGS
100 MM	32	132 MM	65 KGS
125 MM	32	155 MM	65 KGS
150 MM	32	182 MM	85 KGS
200 MM	38	245 MM	80 KGS



## FLOOR LOCKS

Top Plate fitting medium duty floor locks. While loading or Unloading lock instantly released by slight downward pressure. Large Dia, Non-skid Rubber pad ensure firm grip to un-even ground surfaces. Operating Force does not vary with Load.

MODEL	RETRACED HEIGHT	EXTENDED HEIGHT	HOLE
FL - A	140 MM	170 MM	105 X 80 MM
FL - B	170 MM	206 MM	105 X 80 MM
FL - C	185 MM	222 MM	105 X 80 MM

**FINISH**  
**ZINC PLATED WITH**  
**YELLOW PASSIVATED**



## DW SERIES

We are leading manufacturer of Chair Castor wheels at our esteemed Organization at **RKI**. For immediate references images are attached.

**Size's Available :** 28 mm, 40mm ,50mm, 62mm, 75mm

**Fittings :** PLATE/THREAD/KINGPIN/U-PLATE/KNOB TYPE





**AIR COOLER WHEEL**



**CART WHEEL**



**CENTER LOCKING CASTOR**



**E-CART WHEEL**



**MEDI CR SERIES**



**i-V STAND**



**MEDI DW SERIES**



**MEDI DW SERIES**



**WC SERIES**



**WHEEL CHAIR**



**MEDI PC SERIES**



**LEVELING CASTOR**

**GOLDEN UDYOG (UNIT -1)**

1564/26, Gali no-01, Amar Colony, Pataudi Road, Near  
Ashish Vatika, Gurgaon-122001- (HR)- India

**GOLDEN UDYOG ( UNIT-2)**

Plot. NO. 17, Gali No-09, Kadipur Industrial Area,  
Patuaudi Road- Gurgaon – 122001-(HR) – India

Contact +91 9891562007, 9810845007, 9810802426  
E-mail: goldenudyog@gmail.com, rkiexport@gmail.com

[www.rkicastors.in](http://www.rkicastors.in)